

2003-02-08

Rapporter som påvisar risker för ohälsa av högfrekventa elektriska och magnetiska fält

Strålskyddsinstitutet, socialstyrelsen och andra myndigheter hävdar att det inte finns några vetenskapliga rapporter, som påvisar risker för ohälsa av högfrekventa elektriska och magnetiska fält från mobilbasstationer. Myndigheterna har fel.

Miljöcentrum har bett docenten Olof Johansson vid Karolinska Institutet att sammanställa en "topplista" över de viktigaste vetenskapliga studierna, som påvisar risker. Listan återges nedan. Lokala bibliotek kan skaffa fram rapporterna via vetenskapliga bibliotek.

Första studien på människa

Johansson O, "Elöverkänslighet samt överkänslighet mot mobiltelefoner: Resultat från en dubbel-blind provokationsstudie av metodstudiekaraktär", Enheten för Experimentell Dermatologi, Karolinska Institutet, Stockholm, Rapport nr. 2, 1995, ISSN 1400-6111

Cancer

Szmigielski S, "Cancer morbidity in subjects occupationally exposed to high frequency (radiofrequency and microwave) electromagnetic radiation", Sci Total Environ 1996; 180: 9-17

Adey WR, Byus CV, Cain CD, Higgins RJ, Jones RA, Kean CJ, Kuster N, MacMurray A, Stagg RB, Zimmerman G, Phillips JL, Haggren W, "Spontaneous and nitrosourea-induced primary tumors of the central nervous system in Fischer 344 rats chronically exposed to 836 MHz modulated microwaves, "Radiat Res 1999; 152: 293-302 [Denna visar på minskad risk, men eftersom man, om man tror på gällande gränsvärden, inte kan förvänta någon påverkan är den intressant ändå]

Adey WR, Byus CV, Cain CD, Higgins RJ, Jones RA, Kean CJ, Kuster N, MacMurray A, Stagg RB, Zimmerman G, "Spontaneous and nitrosourea-induced primary tumors of the central nervous system in Fischer 344 rats exposed to frequency-modulated microwave fields", Cancer Res 2000; 60: 1857-1863

Hardell L, Nasman A, Pahlson A, Hallquist A, "Case-control study on radiology work, medical x-ray investigations, and use of cellular telephones as risk factors for brain tumors", MedGenMed 2000; E2

Hardell L, Mild K H, Pahlson A, Hallquist A, "Ionizing radiation, cellular telephones and the risk for brain tumours", Eur J Cancer Prev 2001; 10: 523-529

Hardell L, Hallquist A, Mild KH, Carlberg M, Pahlson A, Lilja A, "Cellular and cordless telephones and the risk for brain tumours", Eur J Cancer Prev 2002; 11: 377-386

Mikrovågor som stressor/icke-termiska effekter

Daniells C, Duce I, Thomas D, Sewell P, Tattersall J, de Pomerai D, "Transgenic nematodes as biomonitors of microwave-induced stress", Mutat Res 1998; 399: 55-64

de Pomerai D, Daniells C, David H, Allan J, Duce I, Mutwakil M, Thomas D, Sewell P, Tattersall J, Jones D, Candido P, "Non-thermal heat-shock

response to microwaves", *Nature* 2000; 405: 417-418

DNA-skador

Sarkar S, Ali S, Behari J, "Effect of low power microwave on the mouse genome: a direct DNA analysis", *Mutat Res* 1994; 320: 141-147 [Obs! Verkan sedd vid gällande 3G-rekommendation = 10W/m²]

Lai H, Singh NP, "Single- and double-strand DNA breaks in rat brain cells after acute exposure to radiofrequency electromagnetic radiation", *Int J Radiat Biol* 1996; 69: 513-521

Lai H, Singh NP, "Melatonin and a spin-trap compound block radiofrequency electromagnetic radiation-induced DNA strand breaks in rat brain cells", *Bioelectromagnetics* 1997; 18: 446-454

Phillips JL, Ivaschuk O, Ishida-Jones T, Jones RA, Campbell-Beachler M, Haggren W, "DNA damage in Molt-4 T-lymphoblastoid cells exposed to cellular telephone radiofrequency fields in vitro", *Bioelectrochem Bioenerg* 1998; 45: 103-110

Långtidsexponering

Repacholi MH, Basten A, Gebiski V, Noonan D, Finnie J, Harris AW, "Lymphomas in Eμ-Pim1 transgenic mice exposed to pulsed 900 MHz electromagnetic fields", *Radiat Res* 1997; 147: 631-640

Sykes PJ, McCallum BD, Bangay MJ, Hooker AM, Morley AA, "Effect of exposure to 900 MHz radiofrequency radiation on intrachromosomal recombination in pKZ1 mice", *Radiat Res* 2001; 156: 495-502

Santini R, Seigne M, Bonhomme-Faivre L, Bouffet S, Defrasne E, Sage M, "Symptoms experienced by users of digital cellular phones: A study of a French engineering school", *Electromagn Biol Med* 2002; 21: 81-88

Mastcellseffekter/betydelse för överkänslighet/strålskador/cancer

Johansson O, Liu P-Y, "'Electrosensitivity', 'electrosupersensitivity' and 'screen dermatitis': preliminary observations from on-going studies in the human skin", In: *Proceedings of the COST 244: Biomedical Effects of Electromagnetic Fields - Workshop on Electromagnetic Hypersensitivity* (ed. D Simunic), EU/EC (DG XIII), Brussels/Graz, 1995, pp 52-57

Donnellan M, McKenzie DR, French PW, "Effects of exposure to electromagnetic radiation at 835 MHz on growth, morphology and secretory characteristics of a mast cell analogue, RBL-2H3", *Cell Biol Int* 1997; 21: 427-439

Harvey C, French PW, "Effects on protein kinase C and gene expression in a human mast cell line, HMC-1, following microwave exposure", *Cell Biol Int* 1999; 23: 739-748

Gangi S, Johansson O, "A theoretical model based upon mast cells and histamine to explain the recently proclaimed sensitivity to electric and/or magnetic fields in humans", *Med Hypotheses* 2000; 54: 663-671

Johansson O, Gangi S, Liang Y, Yoshimura K, Jing C, Liu P-Y, "Cutaneous mast cells are altered in normal healthy volunteers sitting in front of

ordinary TVs/PCs - results from open-field provocation experiments", *J Cutan Pathol* 2001; 28: 513-519

Minne/beteende

Lai H, Horita A, Guy AW, "Microwave irradiation affects radial-arm maze performance in the rat", *Bioelectromagnetics* 1994; 15: 95-104

Minne/beteende/EEG

Krause CM, Sillanmäki L, Koivisto M, Häggqvist A, Saarela C, Revonsuo A, Laine M, Hämäläinen H, "Effects of electromagnetic field emitted by cellular phones on the EEG during a memory task", *NeuroReport* 2000; 11: 761-764

Ögoncancer

Stang A, Anastassiou G, Ahrens W, Bromen K, Bornfeld N, Jöckel K-H, "The possible role of radiofrequency radiation in the development of uveal melanoma", *Epidemiology* 2001; 12: 7-12

Blod-hjärnbarriären

Albert EN, Grau L, Kerns J, "Morphologic alterations in hamster blood-brain barrier after microwave irradiation", *J Microw Power* 1977; 12: 43-44

Albert EN, "Light and electron microscopic observation on the blood-brain barrier after microwave irradiation", In: *Symp Biol Eff Measure Radiofr/Microwaves, FDA 77-8026* (ed. DG Hazzard), HEW Publications, Washington, DC, 1977, pp 294-304

Persson BR, Salford LG, Brun A, Eberhardt JL, Malmgren L, "Increased permeability of the blood-brain barrier induced by magnetic and electromagnetic fields", *Ann N Y Acad Sci.* 1992; 649: 356-358

Salford LG, Brun A, Stureson K, Eberhardt JL, Persson BR, "Permeability of the blood-brain barrier induced by 915 MHz electromagnetic radiation, continuous wave and modulated at 8, 16, 50, and 200 Hz", *Microsc Res Tech* 1994; 27: 535-542

Persson B, Salford LG, Brun A, "Blood-brain barrier permeability in rats exposed to electromagnetic fields used in wireless communication", *Wireless Network* 1997; 3: 455-461

Leszczynski D, Joenvaara S, Reivinen J, Kuokka R, "Non-thermal activation of the hsp27/p38MAPK stress pathway by mobile phone radiation in human endothelial cells: Molecular mechanism for cancer- and blood-brain barrier-related effects", *Differentiation* 2002; 70: 120-129

Basstationer

Santini R, "Cellular telephones and their relay stations: a health risk?" (in French), *Presse Med* 1999; 28: 1884-1886

Santini R, Seigne M, Bonhomme-Faivre L, "Danger of cellular telephones and their relay stations" (in French), *Pathol Biol (Paris)* 2000; 48: 525-528

Santini R, Santini P, Seigne M, Danze JM, "Symptoms notified by people living near cell phone relay stations" (in French), Presse Med 2001; 30: 1594

Santini R, Santini P, Danze JM, Le Ruz P, Seigne M, "Investigation on the health of people living near mobile telephone relay stations: I/Incidence according to distance and sex" (in French), Pathol Biol (Paris) 2002; 50: 369-373

Radio/TV-master

Goldsmith JR, "TV broadcast towers and cancer: The end of innocence for radiofrequency exposures", Am J Ind Med 1997; 32: 689-692

Magras IN, Xenos TD, " RF radiation-induced changes in the prenatal development of mice" Bioelectromagnetics 1997; 18: 455-461

Hallberg Ö, Johansson O, "Melanoma incidence and frequency modulation (FM) broadcasting", Arch Environ Health 2002; 57: 32-40

Hallberg Ö, Johansson O, "Har tusentals personer offrats i onödan sedan 1955?" ("Have thousands of persons unnecessarily been sacrificed since 1955?"; in Swedish), Nord Tidsskr Biol Med 2002; 2: 26-27

Hallberg Ö, Johansson O, "Cancerdödlighet och långtidssjukskrivning" ("Cancer mortality and long-term sick leave"; in Swedish), Tidskriften Medikament 2002; 7: 40-41

Hallberg Ö, Johansson O, "Cancer trends during the 20th century", J Aust Coll Nutr & Env Med 2002; 21: 3-8

Allmänt

Södergren L, Johansson O, "Commentary: Mobile telephones - will the golden goose become the mad cow?", J Aust Coll Nutr & Env Med 2001; 20: 29-30

Tillägg om elöverkänslighet – för den intresserade

Johansson O, Hilliges M, Bjornhagen V, Hall K, "Skin changes in patients claiming to suffer from "screen dermatitis": a two-case open-field provocation study", Exp Dermatol 1994; 3: 234-238

Johansson O, Liu P-Y, ""Electrosensitivity", "electrosupersensitivity" and "screen dermatitis": preliminary observations from on-going studies in the human skin", In: Proceedings of the COST 244: Biomedical Effects of Electromagnetic Fields - Workshop on Electromagnetic Hypersensitivity (ed. D Simunic), EU/EC (DG XIII), Brussels/Graz, 1995, pp 52-57

Johansson O, Hilliges M, Han SW, "A screening of skin changes, with special emphasis on neurochemical marker antibody evaluation, in patients claiming to suffer from screen dermatitis as compared to normal healthy controls", Exp Dermatol 1996; 5: 279-285

Gangi S, Johansson O, "Skin changes in "screen dermatitis" versus classical UV- and ionizing irradiation-related damage--similarities and differences. Two neuroscientists' speculative review", Exp Dermatol 1997; 6: 283-291

Johansson O, Liu P-Y, Enhamre A, Wetterberg L, "A case of extreme and

general cutaneous light sensitivity in combination with so-called 'screen dermatitis' and 'electrosensitivity' - a successful rehabilitation after vitamin A treatment - a case report", J Aust Coll Nutr & Env Med 1999; 18: 13-16

Bornehag C-G, Hamnerius Y, Hult M, Johansson O, Norrby C, Åberg U, "Hälsomässig och teknisk utvärdering av fyra elsanerade bostäder i kvarteret Haubitsen, Uppsala", Enheten för Experimentell Dermatologi, Karolinska Institutet, Stockholm, Rapport nr. 4, 1999, ISSN 1400-6111

Gangi S, Johansson O, "A theoretical model based upon mast cells and histamine to explain the recently proclaimed sensitivity to electric and/or magnetic fields in humans", Med Hypotheses 2000; 54: 663-671

Johansson O, Gangi S, Liang Y, Yoshimura K, Jing C, Liu P-Y, "Cutaneous mast cells are altered in normal healthy volunteers sitting in front of ordinary TVs/PCs - results from open-field provocation experiments", J Cutan Pathol 2001; 28: 513-519

Johansson O, "Screen dermatitis and electrosensitivity: Preliminary observations in the human skin", In: Proceedings of the conference "Electromagnetic Environments and Health in Buildings", May 16-17, 2002, at the Royal College of Physicians, London, U.K., in press

Elsanering

Sromová L, Larsson M, Johansson O, "Verksamheten vid ELRUM 1998-2000" (= "ELRUM 1998-2000 - Results and conclusions", in Swedish), Arbetslivstjänster Västerbotten, Umeå, 2001; 12 pp

Sromová L, Larsson M, Johansson O, "ELRUM 1998-2000 - Results and conclusions", Arbetslivstjänster Västerbotten, Umeå, 2002, in press
